Journal of Innovative Construction and Petrochemical Technologies, Vol.2, No.1 (December, 2025), 39-47

P-ISSN: xxxx- xxxx | E-ISSN: 3007-9861 | DOI: https://doi.org/10.71285/icpt.v2i1.55

Journal of Innovative Construction and Petrochemical Technologies
https://icpt.ouk.kz/index.php/icpt/index



Research Article

Check for updates

Advancing Infrastructure Resilience: Integrating Digital Engineering Innovations and Sustainable Construction Methodologies

Fahmina Afrin
Department of Electrical and Electronic Engineering, International Islamic University Chittagong, Bangladesh
afrin15fahmina@gmail.com

Abstract: The resilience of infrastructure has become a critical need with natural hazards, cyber threats, climate change, interconnected failures, and increased service needs to infrastructure. The digital engineering innovations and sustainable construction approaches are analyzed to develop an integrated solution for enhancing infrastructure performance, adaptability and recovery. The Building Information Modeling, digital twins, Geographic Information Systems, Internet of Things sensing, artificial intelligence, simulation and data driven resilience assessment are given special attention. These technologies enable continuous monitoring, predictive maintenance, scenario analysis, recovery scheduling, asset management, and coordinated decision making for the entire infrastructure lifecycle. Digital engineering embraces sustainable construction principles such as resource efficiency, waste reduction, lifecycle assessment, and lifecycle costing, tackling operational resilience, environmental and economic performance. Integrated approaches to digital have the promise of enhanced service continuity, faster recovery times, less rework and better resource allocation, as seen in applications across the transportation, utilities, modular construction, urban planning, flood management and interconnected infrastructure sectors. Measuring resilience requires a connection between the digital capabilities and measurable objectives of service, flexibility, exposure, and recovery. The analysis shows that infrastructure resilience encompasses more than just a structural property; it is an outcome of a lifecycle and systems. Future development should focus on interoperable digital ecosystems, validated digital twins, standardised resilience measures, capability of the workforce and ongoing real world testing. Digital engineering and sustainable construction can therefore help to develop infrastructure that is safer, more flexible, resource efficient and able to continue to provide services under varying and uncertain circumstances.

Keywords: Digital engineering; Infrastructure resilience; Digital twins; Sustainable construction; Building Information Modeling.

Copyright © Author(s). This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY).

1. Introduction

The integration of digital engineering innovations with sustainable construction practices is now a critical component of infrastructure resilience by enhancing infrastructure's critical systems and ensuring the provision of essential services under various natural hazards, cyber threats, physical disruptions, and societal demands [1]. The core of the economic and social activities is critical infrastructure such as transport, energy, water, banking and telecommunications. The more interconnected and automated it becomes, the more efficient and vulnerable it is at the same time, which requires more proactive risk management, quick detection, reliable communication, and effective recovery plans. Digital engineering technologies like Building Information Modeling (BIM), digital twins, Internet of Things (IoT) sensing, and lifecycle information management are transforming infrastructure planning, design, construction,

operation and maintenance [2]. BIM creates an integrated information environment for coordinating multidisciplinary activities, and digital twins allow for continuous interaction between the physical asset and its digital representation, including through sensing, analysis, simulation and optimization. These capabilities provide real time monitoring, condition assessment, predictive maintenance, scenario analysis and informed decision making across the infrastructure life cycle [3]. Together with sustainable construction principles, they can help to minimise resource use, life cycle costs, environmental impacts and operating risks while enhancing safety and asset performance. Measurable performance goals are also key to resilience, reflecting the capacity of a system to anticipate, withstand, adapt to, and bounce back from disruptions. Resilience indicators can be used to assess service continuity, recovery time, system adaptability and redundancy, and resource availability, under various hazard scenarios [4]. Digital models can enhance these evaluations by incorporating multi-changing field conditions, historical data and operational information, and allow for a dynamic assessment of infrastructure performance, as opposed to a static approach based on planning assumptions. This integration of physical and digital infrastructure also brings new governance and operational issues. Fragmentation of data, limitations in data interoperability, cyber security threats, uncertainty over the models, high initial investment needs and lack of specific expertise can be limiting factors in implementation [5]. It's important, therefore, to define the roles and responsibilities of the infrastructure owners, engineers, technology providers, regulators and operators. Where multiple organizations need to share data amongst each other during construction, day-to-day operation or during an emergency, standardized data structures and interoperable platforms are especially significant. Overall, the infrastructure resilience is now beginning to be seen as a systems level objective involving digital engineering, sustainable construction, lifecycle management and infrastructure resilience governance [6]. This integration can help build safer infrastructure, more efficient resource utilization, better asset management, quicker recovery, and better long-term environmental and operational sustainability.

2. Digital Engineering and Engineering Innovations for Infrastructure Resilience

Digital engineering for infrastructure resilience combines digital infrastructure, real time data, virtual representation and advanced analytics to build systems' resilience against disruptions to maintain and recover essential functions. Modern digital infrastructure is used for communication, information exchange and interconnected services where resilience relies upon architectures that can continue to function in the event of an outage, cyber incident and unexpected failure [7]. Automated recovery mechanisms, distributed systems and architectures based on the cloud, and continuous monitoring are therefore ways of embedding resilience in infrastructure layers (Table 1). Digital twins are a core element of this. A digital twin is a virtual asset, process or system that is continuously updated based on data from sensors and operations [8]. Digital twins connect the physical asset with its digital twin, facilitating real time condition monitoring, performance assessment, simulation, predictive maintenance and improving the asset's resilience across its lifecycle (Figure 1). For complex infrastructure systems like transportation, energy, water, telecommunications, and other interconnected networks, changes in one part of the system may impact the performance of the entire system, making their application particularly valuable [9]. Digital twins, real time sensing, probabilistic modeling, optimization, and dynamic recovery planning are all based on data and offer a data driven basis for resilient infrastructure design and operation. These technologies provide decision makers with the capability to consider different recovery strategies, account for uncertainty, plan and coordinate resources, and enhance the performance of infrastructure under a variety of hazard scenarios [10].



Figure 1. A conceptual triadic framework mapping opportunities, barriers, and challenges influencing sustainable civil engineering [37].

Table 1. Digital Engineering Technologies and Their Lifecycle Functions in Infrastructure Resilience

Technology	Core Integration & Mechanism	Associated Benefits	Reference
Building Information Modeling (BIM)	Shared multidisciplinary information environment across planning, design, and operations	Minimizes rework, improves resource management, and reduces errors	[1]
Digital Twins	Virtual asset representation continuously updated via real-time IoT sensor data	Enhances asset resilience and provides dynamic operational visibility across lifecycle	[5]
Geographic Information Systems (GIS)	Spatial and geographic context integration linked with project data models	Identifies spatial conflicts early and improves multi-sector coordination	[6]
IoT Sensing & Analytics	Real-time data collection coupled with advanced simulation and AI tools	Accelerates incident detection and supports data-driven decision-making	[7]

3. Sustainable Construction and Resilience Performance

Rise of integration of sustainable construction and infrastructure resilience to minimize environmental impacts and ensure long term function and adaptation. Sustainable strategies focus on the efficient use of resources, minimization of waste, recycling, reusing, long-lasting materials and environmentally friendly construction techniques [11]. Decisions taken during planning and design are particularly critical for lifecycle thinking as they have a significant impact on the durability of an asset, its operational costs, the emissions it generates and its ability to survive future disruptions, among other things. Digital engineering offers one significant starting point for relating sustainability and resilience. Building Information Modeling (BIM) develops a shared information environment that is shared across the planning, design, construction, operation, and maintenance phases of infrastructure, which enables environmental and resilience considerations to be built-in at every stage of infrastructure's lifecycle (Figure 2) [12]. The ability to incorporate Geographic Information System (GIS), Internet of Things (IoT) sensing, Artificial

Intelligence (AI) and Digital Twins into BIM enables real-time operational and spatial insights to guide infrastructure decisions. This integration enables the optimization of routes, safety enhancements, predictive maintenance, planning for disruptions, and quicker recovery, all while minimizing wasted resources. Lifecycle assessment and lifecycle costing further reinforce this linkage between environmental performance and economic decision making [13]. Life cycle cost analysis can be used to help select options that will be more durable and resilient even if they may have a higher upfront price. Likewise, the combination of integrated BIM, LCA and GIS could enhance the analysis of embodied and operational emissions by connecting material and energy data to spatial and temporal project data. Recycling, adaptive reuse, upgrading and responsible decommissioning may help to minimise material waste and prolong the useful life at the end of the asset lifecycle [14]. Thus, effective resilience targets should link performance measures to specific management actions. During disruptions, targets can establish minimum service levels; acceptable recovery times, capacity for alternate supply, and recovery costs. The system approach is also needed because infrastructure networks have interdependencies, which means that local failures can have ripple effects. The structured approach of integrating exposure, flexibility, service and recovery measures offers a framework for prioritizing investments, planning for operations and delivering sustainable, flexible and resilient infrastructure [15].




Figure 2. A comparative framework mapping sustainable material types, associated implementation challenges, and corresponding research-driven solutions [38]

4. Integration of Digital Engineering with Sustainable Construction Methodologies

The digital engineering and sustainable construction methods enable a coordinated effort for better designing, development, construction, and operation of infrastructure in the long term. Digital engineering integrates modelling and simulation, computational analysis, data science and collaborative digital environments to assist system development across the lifecycle [16]. Continuously updated models and authoritative sources of system information can help identify potential design defects, evaluate alternative solutions more efficiently, and help make construction decisions more accurately (Table 2). This minimizes unnecessary rework, improves quality and aids time, cost and resource management. Building Information Modeling (BIM) and digital twins offer valuable building blocks for this integration [17]. BIM integrates information throughout the planning, design, construction, operation, and maintenance phases – meanwhile, digital twins are dynamic representations that can include real-time data from physical assets. The interoperability with artificial intelligence, the Internet of Things, simulation and analytical tools help infrastructure teams assess performance, analyze risks, optimize processes and help ensure safer and more sustainable designs [18]. The technologies also enable ongoing monitoring and upgrading after construction, ensuring that the infrastructure operates in accordance with changes in operational and environmental conditions. Digital engineering also changes the traditional workflows of documents to integrated model based workflows. Designs can be presented, sequence of construction processes can be simulated, conflicts can be spotted, and options can be explored prior to physical implementation [19]. Modular and prefabricated construction can use digital twins to link manufacturing plants to construction sites, enabling the centralization of information and real-time visibility throughout the production, transportation,

installation and operation process. Clashes can be detected early in the design phase, avoiding clashes in the system layout, interfaces and installation procedures by visualizing the layouts of modules, system interfaces and installation sequences in advance [20]. The combination of BIM and lifecycle assessment and GIS further enhances sustainability. Spatially informed digital models enable to link together material quantities, environmental footprint, operating parameters and geographic information in a common framework. This integration enables the assessment of embodied and operational emissions, resource usage, material efficiency, and lifecycle performance. It also can assist in the identification of potential adaptive reuse, prefabrication, maintenance optimization and more effective resource allocation [21]. Overall, the integration of digital engineering, BIM, digital twins, simulation, artificial intelligence, IoT, lifecycle assessment, and GIS provides the new basis for building sustainable and resilient structures. It can help identify risks earlier in the process, boost resource efficiency, minimize rework, foster better cooperation and evaluate performance regularly, preparing infrastructure to adjust to the environment, operations, and technologies at every stage of the life cycle.

Table 2. Sustainable Construction Strategies, Integration Approaches, and Performance Objectives

Strategy / Pillar	Core Implementation Focus	Primary Objective	Reference
Lifecycle Assessment (LCA)	Quantifying embodied and operational emissions, energy use, and environmental footprint	Evaluates long-term environmental performance and material efficiency	[13]
Lifecycle Costing (LCC)	Balancing upfront capital investments with long-term maintenance and repair costs	Optimizes economic decisions for durable and resilient structures	[15]
Sustainable Material Management	Promoting recycling, reuse, adaptive retrofitting, and responsible decommissioning	Minimizes material waste and prolongs the useful life of infrastructure	[19]
Measurable Resilience Targets	Defining service continuity, recovery time, capacity for alternate supply, and flexibility	Ensures essential services continue under uncertain disruptive events	[20]

5. Applications and Sector Use Cases

Resilient construction practices and digital engineering innovations are being adopted throughout the construction, transportation, utilities, urban planning and hazard management sectors. The applications illustrate the benefits of digital models, real time sensing, BIM, digital twins, and integrated decision support for enhanced project delivery, infrastructure performance, asset management, and emergency response [22]. Modular construction is one of the significant applications used in construction and delivery of projects. Any parts of a building can be pre-fabricated in a controlled factory setting and delivered to construction sites for assembly with the help of a coordinated digital workflow. Digital models and digital twins are used in manufacturing, transportation, sequencing and field installation to improve coordination, minimize construction delays, wasting material and rework, etc [23]. The same can be used to make projects more predictable and resilient by creating a continuous view at various stages of delivery. Underground utility management is also getting a makeover with digital engineering. A digital twin platform can build up precise and up-to-date models of any buried pipeline, cable, drainage system, or other buried utilities [24]. Better visibility can help to reduce pre-construction conflict detection and management of coordination between infrastructure owners and project teams. Shared Digital Environments can be used at the urban scale to coordinate transportation, mobility, land use and infrastructure projects, so potential spatial conflicts can be identified before they lead to costly physical collisions or late modifications. Overall, these applications show that Digital Engineering can establish a common ground to enhance infrastructure resilience, operational efficiency, hazard preparedness and evidence-based decision making from inter-connected sectors [25].

6. Discussion

The application of digital engineering innovations and sustainable construction practices is a major paradigm shift in the way infrastructure resilience is considered, conceived, implemented, and managed. Traditional infrastructure planning has traditionally focused on structural reliability, redundancy and recovery after a disaster, while modern planning and management focuses more on resilience as a dynamic capability of anticipation, adaptation, resistance, recovery and continuous improvement [26]. Digital engineering underpins the transition with a computational and informational basis, sustainable construction extends resilience to resource efficiency, environmental impacts, lifecycle costs and long term adaptability. The holistic approach is especially significant as critical infrastructure systems become increasingly interconnected, digitally enabled, and vulnerable to multiple hazards at the same time [27]. Among these emerging technologies, digital twins have proven to be one of the most significant. Digital twins provide dynamic digital models of physical infrastructure, which can be monitored constantly over time for asset conditions, operational states, environmental conditions and performance indicators. If sensor data are then added to these representations, changes to physical assets can be seen in the digital representations and infrastructure managers can detect deterioration, simulate potential disruptions, and assess recovery options [28]. The ability to do this is especially important for transportation, energy, water, telecommunications, and urban infrastructure, which are interdependent systems that can fail and have knock-on effects on others. The management of infrastructure is not only historical or periodic, but can increasingly be based on continuously updated information. Digital Twins are more useful when combined with BIM, Geographical Information Systems (GIS), IoT sensing, Artificial Intelligence (AI), and simulation [29]. BIM offers information regarding the physical assets and GIS offers spatial relationships and geographic context. There are technologies that can deliver real time observations and analytical systems can convert the observation into information that can be used for operational decisions. The integration forms a digital environment that enables evaluating the infrastructure from planning to construction, operation, maintenance, and subsequent renewal [30]. This lifecycle integration minimises the disconnect between the phases of a project, and offers better foundations for long-term resilience. This perspective also underpins the idea of resilience as a process of dynamic performance. A resilient system is not necessarily a system which is totally unaffected by a hazard. Instead, resilience should be measured based on how much performance is impacted, how well essential services are sustained, and how quickly and cheaply it can be recovered. Performance curves can thus give a much more informative picture of resilience than static measures of structural capacity [31]. To measure the behavior of infrastructure during and after disruption, indicators can be used, such as service continuity, load served, customers served, recovery time, flexibility, and recovery cost. This allows resilience targets to be expressed in terms of measurable performance targets. Adding to this is a sustainable construction perspective that takes into account the environmental and economic performance of infrastructure throughout its life. Sustainable construction practices that focus on using resources efficiently, minimizing waste, recycling, reusing, prefabricating and adapting can thus directly help achieve resilience [32]. Long-lived, durable materials, building techniques, and designs that are flexible and adaptable can require fewer resources during upkeep and last longer in response to changing environmental conditions. Lifecycle assessment and lifecycle costing are both important tools in balancing resilience and sustainability. Some types of investments in resilience can involve more upfront costs, such as using more resilient materials, implementing redundant systems, adding new monitoring technologies, or designing resiliency into the structure [33]. Costs of the initial construction, however, can be a poor guide to the value of resilient alternatives. A lifecycle cost analysis has the potential of helping decision makers to take into account the maintenance, repair, energy use, replacement, disruption losses, and other long term implications. Likewise, lifecycle environmental assessment can discover embodied and operational emissions and indicate whether a design will offer significant service life environmental benefits [34]. The integration of these assessments in BIM and GIS could enhance Spatial and Lifecycle Decision Making. These integrated approaches offer excellent applications in the field of transport and urban infrastructure. Digital twins can be used to modernise public transport systems by enabling the integration of design data, construction phases, and operational data. The urban digital twins can also reflect the interaction between transportation, buildings, utilities, natural environments, and

populations. This enables planners to evaluate different infrastructure configurations, understand potential conflict, and consider further impacts of hazards on interconnected infrastructure [35]. Another important use is underground utility mapping: incorrect data regarding underground infrastructure can lead to significant construction and operating hazards. Real time digital representations can help to coordinate and minimise unintended damage. The ability of integrated digital infrastructure to provide flood resilience is a clear example of the wider benefit. Roads, drains, power lines, sewer systems, telephones and homes can all be flooded simultaneously. These systems are interdependent and an assessment of individual assets might not reflect cascading consequences. Integrated digital models can depict dependencies, and simulate the impacts of disruption on other systems [36]. Overall, the evidence suggests that a mix of digital intelligence, sustainable construction, lifecycle thinking, measurable performance targets, and good governance are the most effective means of tackling infrastructure resilience. Digital engineering can provide better visibility, prediction, coordination and recovery, and sustainable construction can enable lower consumption of resources and environmental impacts across the infrastructure lifecycle.

7. Conclusion

Integrating digital engineering with sustainable construction provides a comprehensive pathway for strengthening infrastructure resilience across its lifecycle. Digital twins, BIM, GIS, IoT, artificial intelligence, and advanced simulation improve monitoring, prediction, coordination, recovery planning, and asset management, while sustainable construction reduces resource consumption, environmental impacts, and lifecycle costs. Their combined application enables infrastructure systems to maintain essential services, adapt to changing conditions, and recover more effectively from disruptions. However, successful implementation requires interoperable data, reliable models, skilled personnel, effective governance, and appropriate investment. Future progress will depend on integrating technological innovation with measurable resilience objectives, lifecycle sustainability, and continuous real-world validation.

REFERENCES

[1] E. Karan, S. Asgari, and A. Rashidi, "A Markov Decision Process Workflow for Automating Interior Design," KSCE J. Civ. Eng., vol. 25, pp. 3199–3212, 2021, doi: 10.1007/s12205-021-1272-6.

[2] C. Zhang, J. Chen, X. Sun, and A. Hammad, "Lifecycle Evaluation of Building Sustainability Using BIM and RTLS," in Proc. Winter Simul. Conf., Savanah, GA, USA, Dec. 2014, pp. 3236–3247, doi: 10.1109/WSC.2014.7020159.

[3] M. R. Minhas and V. Potdar, "Decision Support Systems in Construction: A Bibliometric Analysis," Buildings, vol. 10, p. 108, 2020, doi: 10.3390/buildings10060108.

[4] T. Vilutienė, E. Šarkienė, V. Šarka, and A. Kiaulakis, "BIM Application in Infrastructure Projects," Balt. J. Road Bridge Eng., vol. 15, pp. 74–92, 2020, doi: 10.7250/bjrbe.2020-15.485.

[5] A. Mohammed and N. Akter, "Development of a System-Multi Criteria Analysis on Erosion and Sediment Control in Construction Industry," Journal of Knowledge Learning and Science Technology, vol. 4, no. 4, pp. 127–133, 2025, doi: 10.60087/jklst.vol4.n4.014.

[6] C. N. Leonidou and L. C. Leonidou, "Research into Environmental Marketing/Management: A Bibliographic Analysis," Eur. J. Mark., vol. 45, pp. 68–103, 2011, doi: 10.1108/03090561111095603.

[7] G. M. Peterson, "Characteristics of Retracted Open Access Biomedical Literature: A Bibliographic Analysis," J. Am. Soc. Inf. Sci. Technol., vol. 64, pp. 2428–2436, 2013, doi: 10.1002/asi.22944.

[8] W. Liu, A. Nanetti, and S. A. Cheong, "Knowledge Evolution in Physics Research: An Analysis of Bibliographic Coupling Networks," PLoS ONE, vol. 12, p. e0184821, 2017, doi: 10.1371/journal.pone.0184821.

[9] M. J. Cobo, A. G. López-Herrera, E. Herrera-Viedma, and F. Herrera, "Science Mapping Software Tools: Review, Analysis, and Cooperative Study among Tools," J. Am. Soc. Inf. Sci., vol. 62, pp. 1382–1402, 2011, doi: 10.1002/asi.21525.

[10] Z. Ding, K. Zheng, and Y. Tan, "BIM Research vs BIM Practice: A Bibliometric-Qualitative

Analysis from China," ECAM, 2021, ahead-of-print, doi: 10.1108/ECAM-01-2021-0071.
[11] N. Akter, "Adoption and Effectiveness of AI-Enabled Digital Inspection Systems for Infrastructure Safety and Construction Quality Assurance," Applied IT & Engineering, vol. 1, no. 1, pp. 1–15, 2023, doi: 10.25163/engineering.1110699.
[12] Y. Yılmaz and S. Seyis, "Mapping the Scientific Research of the Life Cycle Assessment in the Construction Industry: A Scientometric Analysis," Build. Environ., vol. 204, p. 108086, 2021, doi: 10.1016/j.buildenv.2021.108086.
[13] Y. Liu, X. Liu, and L. Zhao, "Visualization Analysis of BIM Research Hotspot and Evolutional Trend," IOP Conf. Ser. Earth Environ. Sci., vol. 371, p. 022025, 2019, doi: 10.1088/1755-1315/371/2/022025.
[14] J. Deng, C. Chen, and W. Gong, "Research on Construction Projects from a Social Network Perspective: Based on Knowledge Graph Analysis," E3S Web Conf., vol. 248, p. 03019, 2021, doi: 10.1051/e3sconf/202124803019.
[15] W. Qiuyu and G. Zhiqi, "Research on the Integration of Prefabricated Building and BIM Based on Bibliometrics," E3S Web Conf., vol. 253, p. 02091, 2021, doi: 10.1051/e3sconf/202125302091.
[16] Y. Natarajan, S. P. K. R, G. Wadhwa, Y. Choi, Z. Chen, D.-E. Lee, and Y. Mi, "Enhancing Building Energy Efficiency with IoT-Driven Hybrid Deep Learning Models for Accurate Energy Consumption Prediction," Sustainability, vol. 16, no. 5, p. 1925, 2024, doi: 10.3390/su16051925.
[17] J. Kleinberg, "Bursty and Hierarchical Structure in Streams," in Proc. 8th ACM SIGKDD Int. Conf. Knowl. Discovery Data Mining, Edmonton, AB, Canada, Jul. 2002, doi: 10.1145/775047.775061.
[18] M. Marzouk and M. Metawie, "Framework for Sustainable Low-Income Housing Projects in Egypt," in Proc. Comput. Civil Build. Eng., Orlando, FL, USA, Jun. 2014, pp. 1960–1968, doi: 10.1061/9780784413616.243.
[19] M. Marzouk, S. Azab, and M. Metawie, "BIM-Based Approach for Optimizing Life Cycle Costs of Sustainable Buildings," J. Clean. Prod., vol. 188, pp. 217–226, 2018, doi: 10.1016/j.jclepro.2018.03.280.
[20] F. Shadram and J. Mukkavaara, "An Integrated BIM-Based Framework for the Optimization of the Trade-off between Embodied and Operational Energy," Energy Build., vol. 158, pp. 1189–1205, 2018, doi: 10.1016/j.enbuild.2017.11.017.
[21] S. Liu, "Sustainable Building Design Optimization Using Building Information Modeling," in Proc. ICCREM, Luleå, Sweden, Sep. 2015, pp. 326–335, doi: 10.1061/9780784479377.038.
[22] P. Inyim, J. Rivera, and Y. Zhu, "Integration of Building Information Modeling and Economic and Environmental Impact Analysis to Support Sustainable Building Design," J. Manag. Eng., vol. 31, p. A4014002, 2015, doi: 10.1061/(ASCE)ME.1943-5479.0000308.
[23] M. R. Asl, A. Stoupine, S. Zarrinmehr, and W. Yan, "Optimo: A BIM-Based Multi-Objective Optimization Tool Utilizing Visual Programming for High Performance Building Design," in Proc. eCAADe 2015, Vienna, Austria, Sep. 2015, doi: 10.52842/conf.ecaade.2015.1.673.
[24] E. Bin Alam and N. Akter, "Climate-Resilient Urban Infrastructure for Disaster-Risk Reduction and Sustainable Community Development," Central Asian Journal of Theoretical and Applied Science, vol. 3, no. 9, pp. 455–464, Sep. 2022. [Online]. Available: https://cajotas.casjournal.org/index.php/CAJOTAS/article/view/1692
[25] W. Yan, M. R. Asl, Z. Su, and J. Altabtabai, "Towards Multi-Objective Optimization for Sustainable Buildings with Both Quantifiable and Non-Quantifiable Design Objectives," in Proc. Sustainable Human-Building Ecosystems, Pittsburgh, PA, USA, Oct. 2015, pp. 223–230, doi: 10.1061/9780784479681.024.
[26] H. Liu, G. Singh, M. Lu, A. Bouferguene, and M. Al-Hussein, "BIM-Based Automated Design and Planning for Boarding of Light-Frame Residential Buildings," Autom. Constr., vol. 89, pp. 235–249, 2018, doi: 10.1016/j.autcon.2018.02.001.
[27] S. Eleftheriadis, P. Duffour, and D. Mumovic, "BIM-Embedded Life Cycle Carbon Assessment of RC Buildings Using Optimised Structural Design Alternatives," Energy Build., vol. 173, pp. 587–600, 2018, doi: 10.1016/j.enbuild.2018.05.042.
[28] M. T. I. Talukder and N. Akter, "Digital Transformation of the Construction Design Based on

the Building Information Modelling," Innovative: International Multidisciplinary Journal of Applied Technology, vol. 2, no. 8, pp. 297–305, 2024, doi: 10.51699/5hx55f53.
[29] H. Liu, C. Sydora, M. S. Altaf, S. Han, and M. Al-Hussein, "Towards Sustainable Construction: BIM-Enabled Design and Planning of Roof Sheathing Installation for Prefabricated Buildings," J. Clean. Prod., vol. 235, pp. 1189–1201, 2019, doi: 10.1016/j.jclepro.2019.07.055.
[30] N. Akter and E. Bin Alam, "Evaluation of Low-Rise Reinforced Concrete Structures for Seismic Damage Based on Performance for Earthquake Resilience," Journal of Primeasia, vol. 2, no. 1, pp. 1–10, 2021, doi: 10.25163/primeasia.2110766.
[31] V. J. L. Gan, I. M. C. Lo, K. T. Tse, C. L. Wong, J. C. P. Cheng, and C. M. Chan, "BIM-Based Integrated Design Approach for Low Carbon Green Building Optimization and Sustainable Construction," in Proc. Comput. Civil Eng., Atlanta, GA, USA, Jun. 2019, pp. 417–424, doi: 10.1061/9780784482421.053.
[32] P. Santiago, "Evolutionary Optimization of Building Facade Form for Energy and Comfort in Urban Environment through BIM and Algorithmic Modeling: A Case Study in Porto, Portugal," in Proc. Blucher Design Proc., Porto, Portugal, Dec. 2019, pp. 153–160, doi: 10.5151/proceedings-ecaadesigradi2019_464.
[33] F. Jalaei, F. Jalaei, and S. Mohammadi, "An Integrated BIM-LEED Application to Automate Sustainable Design Assessment Framework at the Conceptual Stage of Building Projects," Sustain. Cities Soc., vol. 53, p. 101979, 2020, doi: 10.1016/j.scs.2019.101979.
[34] N. Akter and M. Y. Almunshi, "Practitioner Perceptions of Green Infrastructure for Urban Stormwater Management and Flood Mitigation in the United States: A Cross-Sectional Survey of Awareness, Effectiveness, Adoption, and Barriers," Energy Environment and Economy, vol. 3, no. 1, pp. 1–13, 2025, doi: 10.25163/energy.3110767.
[35] J. Starynina and L. Ustinovichius, "A Multi-Criteria Decision-Making Synthesis Method to Determine the Most Effective Option for Modernising a Public Building," Technol. Econ. Dev. Econ., vol. 26, pp. 1237–1262, 2020, doi: 10.3846/tede.2020.13398.
[36] S. Wu, N. Zhang, X. Luo, and W.-Z. Lu, "Intelligent Optimal Design of Floor Tiles: A Goal-Oriented Approach Based on BIM and Parametric Design Platform," J. Clean. Prod., vol. 299, p. 126754, 2021, doi: 10.1016/j.jclepro.2021.126754.
[37] C. Vite and R. Morbiducci, "Optimizing the Sustainable Aspects of the Design Process through Building Information Modeling," Sustainability, vol. 13, no. 6, p. 3041, 2021, doi: 10.3390/su13063041.
[38] M. H. Mehraban, A. A. Alnaser, and S. M. E. Sepasgozar, "Building Information Modeling and AI Algorithms for Optimizing Energy Performance in Hot Climates: A Comparative Study of Riyadh and Dubai," Buildings, vol. 14, no. 9, p. 2748, 2024, doi: 10.3390/buildings14092748.